

INDEX

THE MEDICAL LETTER ON DRUGS AND THERAPEUTICS

VOLUMES 1 (1959) through 6 (1964)

Boldface numerals refer to the volume number, lightface numerals to the page number. For all references to a class of drugs, see both the general reference to the class and also the trade or generic names of particular drugs.

- A**CTH, 2:55; 4:27
and metopirone, 4:92
Abortion, habitual, medroxyprogesterone (Provera) for, 2:46
Acetaminophen, 4:14; 5:7; 6:79
combined with amphetamines, 4:89
Acetazolamide, 1:62
for glaucoma, 4:37; 6:10
for premenstrual tension, 4:99
Acetest, 2:72
Acetohexamide, 6:31
and drug interaction, 6:62
Acetophenazine, 4:4
Acetophenetidin, 3:21; 5:7; 6:79
Acetrisoate, 6:55
N-Acetyl-p-aminophenol, 4:14; 5:7; 6:79
Acetylsalicylic acid, see Aspirin
Achromycin V, 1:2; 3:87
Achromycin V, 1:15
Acid Mantle Creme, 1:76
Aci-Jel, 2:33; 6:34
Acne, skin cleansers for, 2:83
Acne-Aid Detergent Soap, 2:83
Acne-Dome Cleanser, 2:83
Actase, 1:93; 3:23
Actidion, 2:59
Actidione, structure compared with glutethimide and thalidomide, 4:61
Ademol, 1:79
Adenovirus vaccines, 1:88; 2:89
Adrenal steroids, see Steroids, adrenal
Adrenatrate, 6:10
Adrenosem Salicylate, 3:43
Adroyd, 3:41
for osteoporosis, 5:73
Aerospurin, 5:15
for meningitis, 6:94
Afrodex, 5:45
Air conditioners, filters, purifiers, ionizers, 4:50
Albamycin, 4:57
Alba-Penicillin, 4:57
Albermag, 2:94
Albertabs, 2:94
Albustix, 2:79
Alcohol
and drug interaction, 6:62
as surgical antiseptic, 4:9
Alcoholism
chlordiazepoxide (Librium) for, 3:101; 5:93
disulfiram (Antabuse) for, 5:12
Aldactazide, 4:104
Aldactone, 2:49; 4:104
and Aldactone-A, 4:104
Aldomet, see Methylglucamine
Aldoril, 6:47
Alginodia, hazards of, 6:104
Alkets Tablets, 2:94
Alkylating agents, 2:21, 25; 3:77
Allergies, therapy
air conditioners, filters, purifiers, ionizers, 4:50
repository antigens for hay fever, 4:72
Alpen, 2:73
Alphadrol, 4:20
Alphalac, 5:54
Alphaprodine, 3:98
dosage and cost of, 4:45
Alphosyl, 1:51
Alseroxylon, 1:70
Altafur, 1:75; 2:62, 68; 4:5
- Aluminum hydroxide gel, 2:94, 103
Alvodine, 3:27
dosage and cost of, 4:45
Amebic infections, 2:38
paromomycin (Humatin) for, 2:53
Amenorrhea
Enovid for, 2:7
medroxyprogesterone (Provera) for, 2:46
norethindrone (Norlutin) for, 2:7
Amethopterin, 5:21
Amidofebrin, hazards of, 6:104
Amidopyrazoline, hazards of, 6:104
Amid-Sal, 6:14
Amino acids
for fatigue, 4:1
for hepatic coma, 4:33
p-Aminobenzoic acid, 2:43
Aminoglutethimide, 2:83
Aminophylline for premenstrual tension, 4:99
Aminopterin
and congenital defects, 4:69
for psoriasis, 6:54
Aminopyrine, hazards of, 3:44; 6:104
p-Aminosalicylic acid, 4:83; 5:17
Amitriptyline, 3:83; 6:45
and drug interaction, 6:62
and glaucoma, 4:37
hazards in surgery, 6:67
Ammonium chloride, 3:17
for premenstrual tension, 4:99
Ammorid, 2:64
Amnestrogen, 2:41
Amobarbital, 4:17
combined with amphetamines, 4:89
Amphenidone, 3:4; 4:5
Amphetamines, 4:89
combinations with analgesics, 4:89
for depression, 6:45
dextroamphetamine, tests of, 3:73
and drug interaction, 6:62
for obesity, 2:11, 31; 5:25
use in children, 3:25
Amphocortrin, 6:3
Amphotycin, 6:3
Amphotericin B, 1:32; 3:33; 5:17
Ampicillin, 5:9, 17; 6:25, 81, 85
for meningitis, 5:101; 6:94
for urinary infections, 6:57
Amylase, 4:93
Anabolic steroids, 3:41; see also Androgens
for osteoporosis, 5:73
Anacin, 3:21; 6:79
Anadrol, 3:41
for osteoporosis, 5:73
Anafabrine, hazards of, 6:104
Analeptic drugs, use in respiratory disease, 4:78
Analgesics
Analexin, 3:94
combinations with amphetamines, 4:89
dosage and cost of narcotic drugs, 4:45
for puerperal breast engorgement, 4:41
Ananase, 4:60
Androgens, 3:41
for anemia, 6:65
and congenital defects, 4:69
for mammary cancer, 5:77
for osteoporosis, 5:73
for puerperal breast engorgement, 4:41
Anemia
androgens for, 6:65
aplastic, 3:1
iron deficiency, 1:55; 6:49
indications for parenteral iron, 2:2
iron-dextran (Imferon) for, 2:2, 40; 4:23
megalooblastic, in pregnancy, 6:90
pernicious, 1:67
intrinsic factor for, 5:60
Anergex, 1:68; 5:28, 104
Anesthesia
adjuncts, 4:50
drug hazards in, 6:67
Anesthetics, see names of individual drugs
Anesthetics, local, 3:62
in diagnostic procedures, 6:87
Angina pectoris
Marplan for, 1:78; 4:2
monoamine oxidase inhibitors for, 1:78; 4:2
nialamide (Niamid) for, 4:2
nitrates for, 2:17
Angiotensin amide, 5:3
for shock, 6:91
Anhydron, 6:37
Anileridine, 1:22
dosage and cost of, 4:45
Anisindione, 2:58
Anisotropine methylbromide, 5:86
Ansolsen, 2:70; 4:10
for hypertensive crises, 6:97
Antabuse, 5:12
and drug interaction, 6:62
Antacids, 2:94
Antepap, 2:4, 20
Anthelmintic drugs, 2:4, 20; 3:76; 4:5
Antibiotic discs in choice of antimicrobial agents, 4:97
Antibiotics, see also Antimicrobial agents
broad-spectrum, 6:85
as cause of deafness, 1:29, 83; 5:5
in cold remedies, 1:23
prophylactic use of, 1:81
stability (hot weather), 2:48
topical, 3:81; 6:3
for thermal burns, 6:102
Anticholinergic drugs, 4:30; 5:86
effects on glaucoma, 4:37
for premenstrual tension, 4:99
Anticoagulants, 1:85, 93; 3:40; 4:74
anisindione (Miradon), 2:58
for coronary disease, 6:69
heparin, 6:23, 32
indandiones, hazards of, 4:74; 5:63
phenindione (Danilone, Hedu-lin), hazards of, 4:74; 5:63
and surgery, 2:78; 6:67
Antidepressants, see Depression
Antidiabetic drugs
and drug interaction, 6:62
and pregnancy, 5:39
Antiemetics, 3:50; 4:69
- Antigens, repository, for hay fever, 4:72
Antihistamines
as antiemetics, 3:50
for cough, 2:101; 4:77
as hypnotics, 1:48
for motion sickness, 3:49
in oral cold remedies, 1:23
and penicillin allergy, 6:77
for poison ivy, 5:42
Antihypertensive drugs, see also Hypertension
hazards in surgery, 6:67
Anti-infective drugs, effect of meals on, 2:27
Antimetabolites, 3:102
for mammary cancer, 5:77
for psoriasis, 6:54
Antimicrobial agents
NOTE: Issue No. 108 (pp. 17-20) lists antimicrobial drugs of first choice and also alternative drugs for use against various organisms. See also 1963 revision.
Antimicrobial agents
effect of meals on absorption of, 2:27
office and laboratory tests in choice of, 4:97
prophylactic use of, 1:81
systemic, choice of, 5:17
topical, 3:81
Antimicrobial chemoprophylaxis, 1:81
Antiseptics, 4:9
iodophor, 6:89
Antithyroid drugs and pregnancy, 5:31
Antivert and Meniere's syndrome, 5:49
Anturane, 3:11, 86
Apamide, 5:7; 6:79
Aphrodisiacs, 5:45
Apresoline, 2:70; 4:95
for hypertensive crises, 6:97
Aquachloral Supporettes, 5:83
Aqua Ivy, 1:42
AquaMephyton, 3:67; 5:97
hazards in surgery, 6:67
Aralen, 2:5, 53
and retinopathy, 4:103
Aramine for shock, 2:22, 29; 6:91
Arfonad, 4:10
for hypertensive crises, 6:97
Arginine, 4:33
Aristocort, topical, 1:94; 4:21; 6:27
correction, 2:12
Arlidin
for cerebrovascular disorders, 6:27
for peripheral vascular disorders, 6:21
Arrhythmias, 3:53; 6:83
Arthritis
chloroquine (Aralen) for, 2:5; 4:103
choline salicylate (Arthropan Liquid) for, 2:23
hydroxychloroquine (Plaquenil) for, 2:5; 4:103
oxyphenbutazone (Tandearil) for, 3:37
Pablate for, 2:43
phenylbutazone (Butazolidin) for, 1:30; 3:37
Arthropan, 2:23

Ascorbic acid, 2:43, 98
for bleeding, 2:19
prophylactic use in surgery,
4:42
Aseptex mask, 4:91
Aspartic acid, 4:1
Aspirin, 1:7; 2:10, 23; 3:11, 21;
5:7; 6:14
compared with Bufferin, 1:7
and gout, 3:11
Asterol, 3:65
Asthma
air conditioners, filters, pur-
ifiers, ionizers for, 4:50
steroid aerosols for, 5:99
Atarax, 2:9
Atherosclerosis and diet, 1:8;
3:85; 6:9
Atromid, 5:81
Attapulgite, 5:61
Aturbane, structure compared
with glutethimide and thalido-
mide, 4:61
Aureomycin, see Chlortetracycline
Avazyme, 4:49
Azapetine, 6:21
Azotrex, 3:45
Azulfidine, 4:32

BAL

and chloroquine, 4:103
for Wilson's disease, 5:64
Bacimycin, 3:81
Bacitracin, 3:70; 5:17
topical, 3:81
Bacteriuria, interpretation of, 5:82
Baculin, 2:33
Baker's Modified Milk, 4:7
Bantron, 5:37
Barbiturates, 2:35; 3:5, 50; 4:17
and anesthesia, 4:50
combined with amphetamines,
4:89
compared with glutethimide
(Doriden), 4:61
in diagnostic procedures, 6:87
for emotional disorders, 6:45
and glaucoma, 4:37
for morning sickness, 4:69
poisoning by, 4:78
in preanesthetic medication,
6:101
for sedation, 4:17
Bellafoline, 3:18
Bellergal, 3:18
Benegride, 4:78
Benadryl, 2:59; 3:49
Bendroflumethiazide (formerly
benzodiflumethiazide), 2:57
Benemid, 3:11, 86
Bentyl, 4:37
Benzalkonium, 4:9
Benzathine penicillin G, 1:34; 6:81
Benzethonium, 4:9
Benzocaine for burns and itching,
6:86
Benzonate, 2:101
for chronic cough, 4:77
Benzphetamine, 5:25
Benzthiazide, 3:35
Benzodiflumethiazide (now
bendroflumethiazide), 2:57
Beta-Chlor, 5:83
Betadine Antiseptic, 6:89
Betadine Douche, 2:33; 6:34
Betamethasone, 3:58
Bethanechol, 4:94
Bicillin, 1:34; 6:81
Bisacodyl, 3:91
Bishydroxycoumarin, 1:85; 3:40;
4:74
Bithionol, 4:9
Bleeding
absorbable hemostatic agents
for, 3:26
Adrenosem Salicylate for, 3:43
ascorbic acid for, 2:19
C.V.P. for, 2:19
Premarin for, 2:28
Thrombafax as test for, 6:48

vitamin K products for, 3:67
Blockain, 3:62
"Bone glue," 2:36
Bonine, 3:8, 49
Bonpyrin, hazards of, 6:104
Brasivol, 2:83
Breast engorgement, 4:41
Bremil, 2:64; 4:7
Bretium, 4:18
Bromelain enzymes, 4:60
Brompheniramine maleate, 1:83
Bronchitis, Avazyme for, 4:49
Bronchitis, chronic, antibiotic
prophylaxis in, 3:2; 5:85
Broxolin, 2:33
Buccal amylase, 4:93
Buclamase, 4:93
Bufferin, 1:7
Bunamiodyl, 5:67
hazards of, 5:47; 6:16
Burns, thermal, therapy for, 6:102
Busulfan, 3:77; 5:21
Butazolidin, 1:30; 3:11, 37, 44
and drug interaction, 6:62
hazards of, 6:100

C

C.V.P., 2:19
Cafergot, 2:54
Caffeine in cough remedies, 4:14
Calcium acetyl salicylate, 2:10
Calcium carbonate, 2:94
"Calories Don't Count," 4:24
Calurin, 2:10
Cancer
adrenal steroids for, 4:82
chemotherapy, 2:21, 25; 3:77,
10; 5:77
and Laetrile, 5:55
lung, and smoking, 2:1
mammary, 5:77
mammography, 6:43
urinary LDH test for, 5:76
Capla, 3:93; 6:12
Caprylium Vaginal Creme, 6:34
Caramiphen, 2:101; 4:77; 5:11
Carbachol, 6:10
Carbamiotin, 6:10
Carbetapentane, 2:101; 4:77
Carbimazole, 2:90
and pregnancy, 5:31
Carbocaine, 3:62
Carbon 14, 4:100
Carbonic anhydrase inhibitors,
1:62
and glaucoma, 4:37
Carcholin, 6:10
Cardiac arrhythmias, 6:83
drugs for, 3:53
Cardiac glycosides, 3:47, 92; 4:75
Cardilate, 2:17
Cardioquin, 3:53
Cardrase, 1:62
Carisoprodol, 3:89, 94; 5:79
Carphenazine, 5:66
Carson, Rachel, 4:86
Carter's Little Pills, hazard in
pregnancy, 4:106
Cartose, 4:7
Catheters, urethral, infections
caused by, 4:94
Cathocillin, 4:57
Cathomycin, 4:57
Cedilanid-D, 4:75
Ceepryn, 4:9
Celestone, 3:58
Cerebrovascular disorders, drugs
for, 6:27
Car-O-Cillin, allergy to, 6:77
Cesium 137, 4:100
Cetylpyridinium, 3:60; 4:9
Chemipen, 2:73
Chemoprophylaxis, antimicrobial,
1:81
Chickenpox, hazards of
adrenal steroids in, 2:99
Chloral hydrate, 2:104; 5:83
for morning sickness, 4:69
tests of, 5:94
Chlorambucil, 2:25; 3:77; 5:21
for mammary cancer, 5:77
Chloramphenicol, 1:21, 38, 58;
3:1; 5:17; 6:85
hazards in newborn, 1:58
for infectious gastroenteritis,
5:57
for meningitis, 5:101; 6:85, 94
for urinary infections, 5:50
Chlordiazepoxide, 2:37; 5:56, 93;
6:45, 99
for alcoholism, 3:101
Chlorisondamine, 2:70; 4:10
Chlormezanone, 3:94
Chloromycetin, see Chloram-
phenicol
Chloroprocaine, 3:62
Chloroquine, 2:5; 4:103
and retinopathy, 4:103
Chlorothiazide, 1:33, 62, 79
combined with reserpine and
hydralazine, 4:95
Chlorotrianisene for puerperal
breast engorgement, 4:41
Chlorpheniramine maleate, 1:14,
27, 83; 2:59
in cough remedies, 4:14
Chlorpromazine, 6:45, 99
as antiemetic, 3:50
compared with thioridazine,
4:65
for motion sickness, 3:49
as preanesthetic medication,
6:101
Chlorpropamide, 1:13, 17; 2:44;
3:69
and drug interaction, 6:62
and pregnancy, 5:39
Chlorprothixene, 4:85
Chlortetracycline, 1:89; 3:87
Chlorthalidone, 2:76; 4:34
correction, 4:48
Chlor-Trimeton, see Chlorpheni-
ramine maleate
Chlorzoxazone, 3:94
Cholesterol, blood, 1:8; 2:81,
91; 6:9
and Alphalac, 5:54
determination with Chole-
Tech, 4:64
and diet, 1:8; 6:9
drugs for lowering, 1:54; 5:81
estrogens and, 3:23
and special margarines, 3:85
tests for, 4:64
unreliability of tests for, 2:81
Chole-Tech, 4:64
Choline salicylate, 2:23
Cholografen, 5:67
Chymar, 3:11
Chymotrypsin, 4:49
Cibalgine, hazards of, 3:44; 6:104
Citrus bioflavonoid for bleeding,
2:19
Clarín, 1:54; 5:81
Clinifix, 1:72
Clistin, 2:59
Clopheidianol, 2:101; 4:77
Cobalt
and goiter, 5:31
in iron therapy, 1:55; 6:49
Codeine
as analgesic, 6:42
for cough, 2:101
Colace, 2:61
Colchicine, 3:11, 36
dosage, correction, 3:36
Cold remedies, 1:23; 4:14
Cold vaccines, 1:88
Colistimethate, 3:57; 5:17
compared with polymyxin B,
5:15
for infectious gastroenteritis,
5:57
for meningitis, 6:94
for septicemia, 6:85
Colistin, see Colistimethate
Colitis, ulcerative, 4:27
Azulfidine for, 4:32
Coly-Mycin, see Colistimethate
Combistix, 2:79
Compazine, 1:57; 6:99
for morning sickness, 4:69
Comycin, 1:15
Conestron, 2:41

Congenital defects from drugs,
4:47, 61, 69, 88
Conray, 6:55
Constipation
Colace for, 2:61
Dulcolax for, 3:91
Senokot for, 1:26
Contac, 4:14
Contergan, 4:47
Contraceptives, intrauterine, 6:63
Contraceptives, oral, 2:45; 4:54;
5:34; 6:59
and thromboembolic disease,
5:34
Contraceptives, vaginal foams,
6:63
Contrast media
bile duct and gallbladder, 5:67
for IVP, 6:55
Coramine, 4:78
Cordan, 4:21
Coronary artery disease
and anticoagulants, 6:69
and diet, 6:9
and digitalis drugs, 4:75
Premarin in, 3:23; 5:1
and special margarines, 3:85
and triparanol (MER/29), 2:81
use of oxygen in, 4:58
Corticosteroids, see Steroids,
adrenal
Cosa-Terrastatin, 3:33
Cosa-Tetracycln, 1:2
Cosa-Tetrastatin, 1:15; 3:33
Cosmasul, 2:83
Cotazym, 3:15, 32
correction, 3:32
Cothera Syrup, 2:101; 4:77
Cough, drugs for, 2:101; 4:77
Coumadin, 1:85; 5:63
Cozyme, 3:31
Creamalin, 2:94
Crest toothpaste, 3:100
Cryptenamine acetate for hyper-
tensive crises, 6:97
Crystodigin, 4:75
Cuprimine, 5:64
Cyclaine, 3:62
Cyclamate, 5:96; 6:73, 84
Cyclamycin, 1:5; 4:5, 25; 6:5
Cyclandelate
for cerebrovascular disorders,
6:27
for peripheral vascular disor-
ders, 6:21
Cyclizine
as antiemetic, 3:50
for motion sickness, 3:49
Cycloheximide, structure compar-
ed with glutethimide and thali-
domide, 4:61
Cyclohexyl sulfamate, 5:96
Cyclophosphamide, 2:21, 25; 3:77;
5:21
for mammary cancer, 5:77
Cycloserine, 4:83; 5:17
Cyclospasmol
for cerebrovascular disorders,
6:27
for peripheral vascular disor-
ders, 6:21
Cyclothiazide, 6:37
Cystinuria, penicillamine for, 5:64
Cytomel, 1:9; 5:69
Cytoxin, 2:21, 25; 3:77; 5:21
for mammary cancer, 5:77
Cytran, 4:99

D

DBI, 1:69; 3:69; 6:31
DBI-TD, 4:40
DDT, 4:86
Danilone, hazards of, 4:74; 5:63
Daprilal, 4:89
Daramide, 1:62
Darcil, 2:73
Darenthin, 1:64; 4:18
Darvon, 1:40; 6:41, 79
correction, 6:56
Deafness caused by antibiotics,
1:29, 83; 5:5

Deanol (Deaner), 3:25
Decadron, 1:1, 20
Deca-Durabolin for osteoporosis, 5:73
Decapryn, 2:59
Declomycin, see Demethyl-chlorotetracycline
Declostatin, 3:33
Decupryl, 3:65
Defencin, 4:36
Deladumone, 4:41
Delalutin, 2:7; 4:73
Delayed-release drugs, 1:45; 3:38, 53; 4:40; 6:49
Delestrogen, 4:41
Delfen Vaginal Foam, 6:63
Delvex, 2:4; 3:76; 4:5
Demecarium bromide, 6:10
Demerol, see Meperidine
Demethylchlorotetracycline, 1:89; 3:2, 56, 87; 5:17; 6:85
Dendrid, 5:103
Dental caries, use of fluoride, 3:100
Depo-Cer-O-Cillin, allergy to, 6:77
Depression
drugs for, 1:65, 77, 78, 92; 3:9, 75; 4:99; 5:71; 6:45
amitriptyline (Elavil), 3:83
deanol (Deaner), 3:25
Deprol, 3:75; 5:71
flurothyl (Indoklon), 6:76
imipramine (Tofranil), 1:65
isocarboxazid (Marplan), 1:78
MAO inhibitors for, 4:26
methylphenidate (Ritalin), 5:75
tranlycypromine (Parnate), 4:26
hazards of, 5:88
Deprol, 1:92; 3:75; 5:71
Deronil, 1:1, 20
Desenex, 3:65
Deserpidine, 1:70
Desitin, 2:64
Deslanoside, 4:75
Desoxyn, 2:22
Devegan, 2:33
Dexamethasone, 1:1, 20, 80
inhalent, for bronchial asthma, 5:99
topical, 4:21
Dexedrine, 2:11, 31
Dexin, 4:7
Dextri-Maltose, 4:7
Dextroamphetamine, 2:11, 31, 4:89
tablets, tests of, 3:73
Dextromethorphan, 2:101; 4:77
Dextrostix, 6:93
Dextro-thyroxine for hypercholesterolemia, 5:81
Diabetes
acetohexamide (Dymelor) for, 6:31
chlorpropamide (Diabinese) for, 1:13, 17; 2:44; 3:69
Clinistix test, 1:72
DBI-TD, 4:40
Dextrostix test, 6:93
phenformin (DBI) for, 1:69; 3:69; 6:31
timed-disintegration capsules (DBI-TD), 4:40
Tes-Tape test, 1:72
tolbutamide (Orinase) for, 1:17; 2:44; 3:69
Diabinese, 1:13, 17; 2:44; 3:69
and drug interaction, 6:62
and pregnancy, 5:39
Diafen, 2:59
Dial soap, 3:79
Diamox, 1:62
for glaucoma, 4:37; 6:10
in premenstrual tension, 4:99
Dianabol, 3:41
for osteoporosis, 5:73
Diaparene, 2:64
Diaper rash, 2:64

Diarrhea
anti-infective agents for, 5:57
diphenoxylate and atropine (Lomotil) for, 3:61
furozolidone (Furoxone) for, 1:38
paromomycin (Humatin) for, 2:53
Sorboquel for, 3:66
traveler's, 2:38; 4:43; 5:57
treatment, 5:61, 80
Diatrizoate, 6:55
Diazepam, 6:17, 45, 99
Dibenzylamine, 6:21
Dibucaine, 3:62
Dichlorisone, 2:86; 4:21
Dichlorphenamide, 1:62
Dicodid, 2:101
Dicumarol, 1:85; 4:74
tablets, tests of, 3:40
Dicyclomine, 4:37
Didrex, 5:25
Dienestrol for mammary cancer, 5:77
Diethylpropion, 5:25
Diethylstilbestrol, 2:41; 4:41
for mammary cancer, 5:77
tablets, tests of, 4:15
Digifortis, 4:75
Digitaline Nativelle, 4:75
Digitalis, 4:75
and drug interaction, 6:62
Digitoxin, 4:75
tablets, tests of, 3:47
Digoxin, 4:75
tablets, tests of, 3:92
Dihydrocodeinone, 2:101; 4:14, 77
Dihydroergotamine, 4:17
Dihydromorphinone, dosage and cost of, 4:45
Dihydrostreptomycin, auditory nerve damage from, 1:29, 83; 5:5
Dilantin, see Diphenylhydantoin
Dilaudid, dosage and cost of, 4:45
Diloderin, 2:86
Dimapryrin, hazards of, 6:104
Dimenhydrinate for motion sickness, 3:49
Dimercaprol
and chloroquine, 4:103
for Wilson's disease, 5:64
Dimetane, 1:14; 2:59
Dimethoxanate, 2:101; 4:77
Dimocillin and Dimocillin-RT, see Methicillin
Diodoquin, 2:53; 3:81; 6:3
Di-Paralene, 2:9, 59
Diphenhydramine, 1:59; 2:59
for motion sickness, 3:49
Diphenylhydantoin, 1:99
as cause of lymphoma syndrome, 4:56
Dipralon Forte, hazards of, 6:104
Dipyron, hazards of, 3:44, 94; 6:104
Disomer, 1:83; 2:59
Distaval, 4:47
Disulfiram, 5:12
Dithiazanine, 2:4; 3:76; 4:5
Diuretics, 1:33, 79; 2:6, 57, 76; 3:17, 35; 4:12, 34, 48, 104
carbonic anhydrase inhibitors as, 1:62
mercurial, 3:17
oral
benzthiazide (Exna, formerly NaClex), 3:35
chlorothiazide (Diuril), 1:33
chlorthalidone (Hygroton), 2:76; 4:34, 48
cyclothiazide (Anhydron), 6:37
daily dosage of, 4:34
dosage and cost of, 6:37
and drug interaction, 6:62
evaluation of, 2:57
flumethiazide (Ademol), 1:79
and glaucoma, 4:37
hazards in surgery, 6:67
hydrochlorothiazide, 1:33

hydroflumethiazide (Saluron), 2:6
in hypertension, 4:34, 95; 6:12
methyclothiazide (Enduron), 3:35
polythiazide (Ranese), 4:12
in premenstrual tension, 4:99
quinethazone (Hydromox), 5:14
spironolactone (Aldactone), 2:49; 4:104
Diuril, 1:33; 4:34
Dolonil, 6:7
Dolophine, dosage and cost of, 4:45
Domaboro, 2:33
Domogyn douche powder, 6:34
Doriden, see Glutethimide
Dormison, 2:67
Dornwal, 3:4; 4:5
Dramamine, 3:49
Dramcillin-S, 2:73
Drinalfa, 2:22
Dromostanolone propionate (Drolban) for mammary cancer, 5:77
Drug advertisements, references in, 5:56
Drug interactions, 6:62
Drugs, withdrawal, 4:5, 47
Dulcolax, 3:91
Duphaston, 4:73
Durabolin, 3:41
for osteoporosis, 5:73
Durycin, 3:13
Dydrogesterone, 4:73
Dymelor, 6:31
and drug interaction, 6:62
Dysmenorrhea
dydrogesterone (Duphaston) for, 4:73
Enovid for, 2:7
norethindrone (Norlutin) for, 2:7
EDTA for Wilson's disease, 5:64
Echthiophate, 6:10
Ecolid, 2:70; 4:10
Ecotrin, 1:7
Edathamil for Wilson's disease, 5:64
Edrisal, 4:89
Elavil, see Amitriptyline
Electric shock for cardiac arrhythmias, 6:83
Electrostatic precipitators, 4:50
Elipten, 2:83
structure compared with glutethimide and thalidomide, 4:61
Elkosin, 1:73
Emivan, 4:78
Emko Vaginal Foam, 6:63
Emotional disorders, drugs for, 6:45
Emphysema
Avazyme for, 4:49
drugs and devices for, 6:1
Empirin, 3:21; 6:79
Empiraz-C Tablets, 6:24
Endocarditis, bacterial, 3:13
prevention of, 1:34, 81
Endometriosis
dydrogesterone (Duphaston) for, 4:73
Enovid for, 2:7
norethindrone (Norlutin) for, 2:7
Endoxan, 3:77
Enduron, 3:35
Enfamil, 4:7
Enovid, 2:7, 45; 4:54; 5:34; 6:59
Enteric-coated drugs, 1:45
Enterocolitis, staphylococcal
antibiotic dosage in, 6:72
drugs for, 6:61
Enzeon, 3:11
Enziflur, 3:100

Enzymes
buccal amylase, 4:93
pancreatic, 3:15, 32
Avazyme, 4:49
proteolytic, 3:11; 4:49, 60; 5:65
bromelain enzymes (Ananase), 4:60
chymotrypsin (Avazyme), 4:49
Protamide, 2:80
Enzypan for psoriasis, 6:54
Ephedrine and drug interaction, 6:62
Epilepsy
aminoglutethimide (Elipten) for, 2:83
drugs for, 1:99
Epinephrine, 2:22, 50; 3:62
topical, for glaucoma, 6:10
Epitrate, 6:10
Equanil, see Meprobamate
Ergomar, 2:54
Ergonovine maleate, 5:59
Ergotamine tartrate, 2:54; 4:70
in Bellergal, 3:18
Ergotrate, 5:59
Erythril tetranitrate, 2:17
Erythrocin, 6:5
Erythrocin Ointment, 3:81; 6:3
Erythromid, 3:45
Erythromycin, 1:5, 18; 3:45; 4:5, 25; 5:17; 6:5
for chronic bronchitis, 5:85
for meningitis, 6:94
for staphylococcal infections, 6:13
topical, 3:81; 6:3
Erythromycin estolate, 1:18; 4:5, 25; 6:5
Erythrosulfa, 3:45
Eserine, 6:10
Esidrix, 1:33
Eskaserp Spansules, 5:39
Estinyl, 2:41
Estradiol valerate for puerperal breast engorgement, 4:41
Estrogens, 2:7, 28, 41, 45; 3:23; 4:3; 4:15, 41, 54
and blood cholesterol, 3:23; 5:1
for mammary cancer, 5:77
for menopausal symptoms, 2:41
for puerperal breast engorgement, 4:41
Etamon, 4:10
Ethemivan, 4:78
Ethchlorvynol, 2:67
Ethinamate, 2:67
Ethinylestradiol, 2:7, 41, 45; 3:51
Ethinylestradiol methyl ether, 4:54, 73
Ethionamide, 4:83; 5:17
Ethioheptazine, 1:23
Ethotoin, 1:99
as cause of lymphoma syndrome, 4:56
Ethoxzolamide, 1:62
Ethyl aminobenzoate, 6:86
Ethylol, 2:41
Etryptamine (Monase), 4:47
Eutonyl, 5:41
Exna (formerly NaClex), 3:35
F
allout, nuclear test, 4:100
Fatigue, 4:1
Fibrinase, hazards of, 6:104
Falsules, 2:104
Faramel, 6:7
Ferrous carbonate, 6:7
Fevonil, hazards of, 6:104
Fibrinolysin, 1:93; 3:23
Fingernails, fragile, 5:4
Fiorinal, 6:7
Flagyl, 5:33; 6:34
Flexin, 1:16; 3:11; 4:5
withdrawal from market, 3:86
Floraquin, 2:33; 6:34

Floropryl, 6:10
 Fludrohydrocortisone, 4:21
 Flumethiazide, 1:79
 Fluocinolone acetonide, 4:21; 6:7, 27
 Fluoride for dental caries, 3:100
 5-Fluorodeoxyuridine, 3:102
 for mammary cancer, 5:77
 Fluorometholone, 1:94; 4:21
 5-Fluorouracil, 3:102
 for mammary cancer, 3:102; 5:77
 Fluothane, 2:36; 5:44
 Fluoxymesterone for mammary cancer, 5:77
 Fluphenazine, 2:77; 6:45, 99
 as antiemetic, 3:50
 Fluprednisolone, 4:20
 Flurandrenolone acetonide, 4:21
 Flurothyl, 6:76
 Folic acid
 in multivitamin supplements, 2:98
 for pernicious anemia, 5:60
 in pregnancy, 6:90
 Fortespan, 3:38
 Fortizyme, 4:93
 Fostex Cake, 2:83
 Fulvicin, 1:51, 61; 2:42
 Fumex, 5:37
 Funda-Vite (F), 3:100
 Fungicides, 3:33
 amphotericin B (Fungizone), 1:32; 3:33
 combined with tetracyclines, 1:15; 3:33
 griseofulvin, 1:51, 61; 2:42
 nystatin, 1:15
 topical, 3:65
 for vaginitis, 6:34
 Fungizone, 1:32; 3:33
 Furacin, 3:81
 Furacin Inserts, 6:34
 Furadantin, 1:37; 2:62; 5:30
 Fureldadone, 1:75; 2:62, 68; 4:5
 Furazolidone, 1:38; 2:62; 5:17, 57
 Furoxone, 1:38; 2:62; 5:57

GHP solution, 2:33
 G.S.I. Surgical Detergent, 6:89
 Gamacorten, 1:80
 Gamma globulin, 3:19
 and infectious hepatitis, 1:98; 4:43
 and measles vaccine, 5:35
 in thermal burns, 6:102
 Ganglion-blocking drugs, 2:70; 4:10, 18
 for hypertensive crises, 6:97
 Gantanol, 4:53
 Gantrisin, 1:58, 73
 compared with Gantanol, 4:53
 Gastroenteritis, infectious, drugs for, 5:57
 paromomycin (Humatin) for, 2:53
 Gastrointestinal disorders
 anisotropine (Valpin) for, 5:86
 antacids for, 2:94
 anticholinergic drugs for, 4:30; 5:86
 glycopyrrolate (Robanul) for, 4:30
 Oxaine for, 2:103
 d-pantothenyl alcohol (Ilopan, Cozyme, Motilyn) for, 3:31
 poldine (Nacton) for, 4:30
 thiophenamil (Trocinete) for, 5:86
 Gelatin for fragile fingernails, 5:4
 Gelfoam, 3:26
 Gentian violet, 3:65
 for vaginitis, 6:34
 Gitalin, 4:75
 Glaucoma
 carbonic anhydrase inhibitors for, 1:62; 4:37
 effects of drugs on, 4:37
 hazards of steroids in, 5:47
 topical treatment of, 6:10

Glaucan, 6:10
 Globaline, 2:38
 Glucagon, 3:62
 Glucose tolerance tests, 6:93
 Glutamic acid, 5:23
 for hepatic coma, 4:33
 Glutethimide, 4:61
 and thalidomide, 4:61, 88
 Glyceryl trinitrate, 2:17
 Glycopyrrolate, 4:30
 Goiter caused by drugs, 5:31
 Gout, 3:11, 36
 oxyphenbutazone (Tandearil) for, 3:37
 phenylbutazone (Butazolidin) for, 1:30; 3:37
 zoxazolamine (Flexin) for, 1:16; 3:86
 Gram stain in choice of antimicrobial agents, 4:97
 Grenz rays for psoriasis, 6:54
 Grifulvin, 1:51, 61; 2:42
 Griseofulvin, 1:51, 61; 2:42; 3:65; 5:17
 Guanethidine, 2:69; 4:10, 18
 Gynergen, 2:54

Haldone, 3:58
 Halotestin for mammary cancer, 5:77
 Halothane, 2:36; 5:44
 Harmony, 1:70
 Hay fever, 2:59
 repository antigens for, 4:72
 Headache, migraine, 3:18; 4:70
 ergotamine drugs for, 2:54
 methysergide (Sansert) for, 4:70
 Hedulin, 1:85
 hazards of, 4:74; 5:63
 Helminth infections, 2:4, 20
 Hemastix, 5:24
 Hemophilus influenzae infections, 3:87; 5:17, 101
 Hemostatic agents, 3:26, 43, 67; 5:97
 Heparin, 2:78; 6:23
 correction, 6:32
 for hyperlipemia, 1:54; 5:81
 tests of, 6:20
 Hepatic coma, agents for, 4:33
 Hepatitis, infectious
 and Ictotest, 6:39
 and immune globulin, 1:98; 3:19; 4:43
 Herpes keratitis, 5:103
 Herplex, 5:103
 Hexachlorophene
 in acne cleansers, 2:83
 in Dial soap, 3:79
 for diaper rash, 2:64
 as surgical antiseptic, 4:9; 6:89
 Hexamethonium, 4:10
 Hexylcaine, 3:62
 Hispril, 2:59
 Histadyl, 1:48; 2:59
 Homogenets, 2:32
 Homatropine methylbromide in cough remedies, 4:14
 Humatin, 2:53
 correction, 2:84
 Humorsol, 6:10
 Hycodan, 2:101
 Hycomine Compound, 4:14
 Hydantoins, 1:99
 side effects, 4:56; 5:63
 Hydralazine, 2:70; 4:95
 combined with reserpine, 4:95
 for hypertensive crises, 6:97
 Hydrochlorothiazide, 1:33, 62
 Hydrocodone, 6:42
 Hydrocortamate, 1:94; 4:21
 Hydrocortisone, 1:1
 topical, 1:94; 2:12, 86; 4:21; 6:3
 HydroDiuril, see Hydrochlorothiazide
 Hydroflumethiazide, 2:6, 57
 Hydromox, 5:14
 Hydroxychloroquine, 2:5; 4:103

and retinopathy, 4:103
 Hydroxyphenamate, 4:45
 Hydroxyprogesterone caproate, 2:7; 4:73
 Hydroxystilbamidine, 5:17
 Hydroxyzine, 2:9
 Hygroton, see Chlorthalidone
 Hykinone, 3:67; 5:97
 Hypaque, 6:55
 Hypertensin, see Angiotensin amide
 Hypertension, 1:25, 64, 70; 2:13, 69, 70; 3:97; 4:2, 4, 10, 18, 34, 95
 Aldoril for, 6:47
 bretylium (Darenthin) for, 1:64; 4:18
 chlorothiazide (Diuril) for, 4:34
 choice of drugs for, 2:70
 cyclothiazide (Anhydron) for, 6:37
 diuretics, thiazide, for, 4:34
 ganglion-blocking drugs for, 4:10
 guanethidine (Ismelin) for, 2:69; 4:18
 hydralazine (Apresoline) for, 4:95
 hypertensive crises, 6:97
 MAO inhibitors for, 4:2
 mebutamate (Capla) for, 3:93; 6:12
 mecamlamine (Inversine) for, 1:53
 methyldopa (Aldomet) for, 5:13; 6:47
 and mortality rates, 1:90
 nialamide (Niamid) for, 4:2
 pargyline (Eutonyl) for, 5:41
 polythiazide (Renese) for, 4:12
 quinethazone (Hydromox) for, 5:14
 Rauwolfia alkaloids for, 1:70; 5:39
 sympatholytic drugs for, 4:18
 syrosingopine (Singoserp) for, 1:25, 40, 44
 thiazide diuretics for, 4:34
 trimethidinium methosulfate (Ostensin) for, 2:13
 Hypertensive crises, treatment of, 6:97
 Hyperthyroidism, treatment of, 2:90
 Hypnotics, 1:48; 3:5; 4:17, 61, 88
 barbiturates, 2:35; 3:5; 4:17
 glutethimide (Doriden), 4:61
 and thalidomide, 4:88
 methypyrrolon (Noludar), 2:35
 non-prescription sleep aids, 1:48
 thalidomide, 4:47, 69
 and Doriden, 4:61, 88
 Hypoglycemia from drug interaction, 6:62
 Hypothyroidism, 1:9, 10, 11; 5:69

IDU, 5:103
 IPPB, 5:100
 Ictotest and infectious hepatitis, 6:39
 Idoxuridine, 5:103
 Ildar, 6:21
 Ilopan, 3:31
 Ilosone, 1:18, 34; 4:5, 25; 6:5
 Ilosone Sulfate, 3:45
 Ilotycin, 6:5
 Ilotycin Ointment, 3:81; 6:3
 Imferon, 2:2, 40; 4:23
 Imipramine, 1:65; 3:9, 83; 6:45
 compared with tranlylcypromine (Parnate), 4:26
 and drug interaction, 6:62
 and glaucoma, 4:37
 hazards in surgery, 6:67
 Immune serum globulin (human) for immunization against infectious hepatitis, 4:43
 Indandione anticoagulants, 1:85;

2:58; 4:74; 5:63
 Indoklon, 6:76
 Influenza vaccines, 1:88; 2:89; 3:80; 4:79; 6:75
 subcutaneous vs. intradermal, 4:96
 Insulin shock, antidote, 3:62
 Intermittent positive pressure breathing devices, 5:100
 Intrauterine contraceptive devices, 6:63
 Intravenous pyelography, safety of drugs for, 6:55
 Intrinsic factor for pernicious anemia, 5:60
 Inversine, 1:53; 2:70; 4:10
 Ioclode, 6:89
 Iodides
 and congenital defects, 4:69
 and goiter, 5:31
 Iodine
 radioactive, 2:90; 4:100
 as surgical antiseptic, 4:9
 tincture of, 6:89
 Iodine 131, 4:100
 Iodine compounds
 as contrast media, 5:67; 6:55
 for vaginitis, 6:34
 Iodipamide injection, 5:67
 Iodophor antiseptics, 6:89
 Ionizers for allergies, 4:50
 Iopanoic acid, 5:67
 Ioprep, 6:89
 Iothiouracil, 2:90
 and pregnancy, 5:31
 Iodate, 5:67
 Iproniazid, 1:6
 Iron-dextran complex, 2:2, 40; 4:23
 Iron therapy
 oral, 1:55; 6:49
 parenteral
 Imferon, 2:2, 40; 4:23
 Irradiation and fallout, 4:100
 Ismelin, 2:69; 4:10, 18
 Isobutylallylbarbiturate, addiction to, 4:17
 Isocarboxazid, 1:78; 3:9; 4:2; 6:45
 hazards in surgery, 6:67
 Isodine, 6:89
 Isoflurophate, 6:10
 Isoniazid, 4:83; 5:17
 Isopregnenone for recurrent abortion, 4:73
 Isopropamide iodide, 5:11
 Isopto Carbachol, 6:10
 Isopto Carpine, 6:10
 Isordil, 2:17
 Isosorbide dinitrate, 2:17
 Isotopes, radioactive, 4:100
 Isoxsuprine
 for cerebrovascular disorders, 6:27
 for peripheral vascular disorders, 6:21
 Itrumil, 2:90

Jefron Elixir, 6:49

Kanamycin, 5:5
 auditory nerve damage from, 1:29, 83; 5:5
 dosage for staphylococcal enterocolitis, 6:72
 hazards in surgery, 6:67
 for infectious gastroenteritis, 5:57
 for tuberculosis, 4:83
 Kantrex, see Kanamycin
 Kaon Tablets, 6:7
 Kaopectate, 2:38; 5:61
 Kappadione, 3:67; 5:97
 Karidium, 3:100
 Kenalog, 1:94; 2:12, 86; 4:21; 6:7, 27
 Ketostix, 2:72
 Kevadon, 4:47
 Key-Pyrone, hazards of, 3:94; 6:104

Kidney transplantation, 6:36
Knox's Gelatine, 5:4
Konakion, 3:67; 5:97
hazards in surgery, 6:67
Kudolate, 3:65
Kynex, 1:73

LE 60/40, 4:7; 5:8, 24
Laboratory tests in choice of
antimicrobial agents, 4:97
Lactum, 4:7
Laetrile, 5:55
Lanoxin, 4:75
Laxatives
 bisacodyl (Dulcolax), 3:91
 Colace, 2:61
 Magnocyl, 2:61
 polyphylum, 4:106
 Polykol, 2:61
 Senokot, 1:26
Leritine, 1:22
 dosage and cost of, 4:45
Leukemia, treatment of, 3:77, 102;
 5:21
 correction, see Methotrexate,
 dosage correction
 use of adrenal steroids in,
 4:82
Leukeran, 2:25; 3:77; 5:21
 for mammary cancer, 5:77
Levallorphan tartrate, 5:51
Levarterenol bitartrate for shock,
 2:22; 6:91
Levo-Dromoran, 2:101
 dosage and cost of, 4:45
Levoprod, 2:22, 29; 5:3; 6:91
Levopropoxyphene, 4:77
Levorphanol, 2:101
 for chronic cough, 4:77
 dosage and cost of, 4:45
Levothyroxine sodium, 5:69
L-Glutavite, 5:23
Librium, see Chlordiazepoxide
Lidocaine, 3:62
Lif-O-Gen, 4:62
Liothyronine, 1:9; 5:69
Lipran for psoriasis, 6:54
Liquamar, 1:85; 5:63
Liquiprin, 6:14
Lisfica, 4:45
Liver disorders, arginine
 for, 4:33
Lobeline, 5:37
Lomotil, 3:61; 5:61
Long-acting drugs, 1:45; 3:38, 53;
 4:40; 6:49
Lorfan, 5:51
Lotusate, 4:17
Lupus erythematosus
 chloroquine (Aralen) for, 2:5
 and retinopathy, 4:103
 hydroxychloroquine (Plaque-
 nil) for, 2:5
 and retinopathy, 4:103
Luride, 3:100
Lycinate, 2:33
Lymphoma syndrome induced by
 anticonvulsants, 4:56
Lymphomas, chemotherapy for,
 2:21, 25; 3:77, 102; 4:82
Lynoral, 2:41
Lyophrin, 6:10
Lyteca, 5:7; 6:79
Lytren and diarrhea, 5:61

MER/29, 2:81; 4:5, 47
Maelox, 2:94
Madrison, 1:73
Madriquad, 1:73
Magnesium carbonate, 2:94
Magnocyl, 2:61
Malaria therapy
 chloroquine (Aralen)
 and retinopathy, 4:103
 hydroxychloroquine (Plaque-
 nil) and retinopathy, 4:103
Malathion, 4:86
Mammary cancer, 3:102; 4:82
Mammography, 6:43

Mandelamine, 2:93; 5:53
Mandelonitrile glucuronide, 5:55
Man-Tan, 2:47
Mantoux tuberculin test, 4:67
Mareline, 3:49, 50
Margarines, 3:85
Marplan, 1:78; 3:9; 4:2; 6:45
hazards in surgery, 6:67
Marsilid, 1:6
Massengill Powder, 6:34
Maxipen, 2:73
Measles vaccines, 3:19; 5:35
Mebutamate, 3:93; 6:12
Mecamylamine, 1:53; 2:70; 4:10
Mechlorethamine, 3:77; 5:21
Meclizine for motion sickness,
 3:49
Medical Letter
 British comment, 1:48
 misuse of, 4:60
Medihaler-Ergotamine, 2:54
Medroxyprogesterone, 2:46
Megaloblastic anemia in
 pregnancy, 6:90
Megimide, 4:78
 structure compared with glut-
 thimide and thalidomide,
 4:61
Meglumine iohalamate, 6:55
Mellaril, see Thioridazine
Meloxine, 1:49
Menadiol, 3:67; 5:97
Menadione, 3:67; 5:97
Meniere's syndrome and Antivert,
 5:49
Meningitis, drugs for, 3:70, 87;
 6:85, 94
Meningitis, H. influenzae, drugs
 for, 5:101; 6:85, 94
Meonine, 5:53
Mepazine, 6:99
Mepergan
 in diagnostic procedures, 6:87
 in preanesthetic medication,
 6:101
Meperidine, 1:22; 4:13
 compared with morphine, 4:13
 for cough, 4:77
 dosage and cost of, 4:45
 in preanesthetic medication,
 6:101
Meperidine-promethazine in
 diagnostic procedures, 6:87
Mephesisin, 3:89
Mephenoaloxone, 5:29
Mephentermine for shock, 2:22,
 50; 6:91
Mepho-Dex, 4:89
Mephyton, 3:67; 5:97
Mepivacaine, 3:62
Meprobamate, 1:3, 92; 2:87; 6:45
 addiction, 1:3; 3:75; 5:71
 dosage in Deprol, 3:75
 as muscle relaxant, 3:89, 94
 toxicity, 2:100
Mepyrapone, 4:92
Meralluride, 3:17
Mercaptopurine, 3:102; 5:21
Mercurhydriol, 3:17
Mercurial diuretics, 3:17
Mersalyl, 3:17
Mesantoin, 1:99; 4:56
Mesulfin, 4:43
Metabutoxycaine, 3:62
Metamine, 2:17
Metaraminol for shock, 2:22, 29,
 6:91
Metaxalone, 6:6
Methadone, 2:101; 4:77
 dosage and cost of, 4:45
Methallenestril for breast en-
 gorgement, 4:41
Methaminodiazepoxide, see
 Chlordiazepoxide
Methamphetamine, 2:22, 50, 69;
 4:89; 6:91
Methandriol, 3:41
Methandrostenolone, 3:41
 for osteoporosis, 5:73
Methapyrilene, 1:48; 2:59
Methazolamide, 1:62

Methedrine, 2:22, 50, 69; 6:91
Methenamine mandelate, 2:93;
 5:53
Methergine, 5:59
Methicillin, 2:75; 5:17; 6:13, 61, 81
 compared with oxacillin, 4:29
 dosage for staphylococcal en-
 terocolitis, 6:72
 for meningitis, 6:85
 for septicemia, 6:85
Methimazole, 2:90
 and pregnancy, 5:31
Methionine, 2:93; 5:53
Methium, 4:10
Methocarbamol, 3:89, 94
Methotrexate, 3:102; 5:21
 dosage correction, 5:32
 for psoriasis, 6:54
Methoxamine, 2:22, 50; 6:91
Methoxsalen, 1:49
Methoxyflurane, 4:67
Methyclothiazide, 3:35
Methyldopa, 5:13; 6:47
 for hypertensive crises, 6:97
Methylergonovine, 5:59
Methylglucamine diatrizoate, 6:55
Methylparafynol, 2:67
Methylphenidate, 5:75; 6:45
Methylphenylethylhydantoin,
 1:99; 4:56
Methylprednisolone, topical,
 4:21
Methylthiouracil, 2:90
 and pregnancy, 5:31
Methypyrrol, 2:35
Methysergide, 4:70
Metopirone, 4:92
Metrecal, 2:51
Metronidazole, 5:33; 6:34
Metycaine, 3:62
Micrin, 3:60
Midicel, 1:73
Migesic, hazards of, 6:104
Migraine, 4:70
 Bellergal for, 3:18
 ergotamine drugs for, 2:54;
 3:18; 4:70
 methysergide (Sansert) for,
 4:70
Milibis, 2:33
Milk, canned, end radioactive
 fallout, 4:100
Milk preparations, 1:47; 4:7
 LE 60/40 and S-26, 5:8, 24
Miltontin, 1:99; 4:56
Miltown, see Meprobramate
Miradon, 2:58
Modiril, 1:70
Modilac, 4:7
Modumate, 4:33
Monase, 4:47
Monilial vaginitis, 6:34
Monoamine oxidase inhibitors,
 3:83; 5:41
 in angina, 4:2
 for depression, 3:9; 4:26
 and drug interaction, 5:41,
 88; 6:62
 hazards in surgery, 6:67
 in hypertension, 4:2
 serious side effects of, 6:45
Mono-Kay, 5:97
hazards in surgery, 6:67
Mornidine for morning sickness,
 4:69
Morning sickness, 4:69
Morphine, 2:85, 97; 4:13
 in diagnostic procedures,
 6:87
 dosage and cost of, 4:45
 in preanesthetic medication,
 6:101
Motilyn, 3:31
Motion sickness drugs, 3:49
Mucilose, 5:61
Muracil, 2:90
Muscle relaxants, 3:86, 89, 94
 Defencin as, 4:36
 for premenstrual tension, 4:99
Mustargen, 2:21, 25; 3:77; 5:2;
 Myadec, 2:98
Mycostatin, 1:15
Mycostatin Ointment, 3:65

Mycostatin Vaginal Tablets, 6:34
Myleran, 3:77; 5:21
Myocardial infarction, shock
 from, 6:91
Mysteclin, 1:15
Mysteclin F, 3:33

NIH 7519 (analgesic), 1:4
NaClex (now Exna), 3:35
Nacton, 4:30
Nafacillin, 5:17; 6:29, 81
 dosage for staphylococcal en-
 terocolitis, 6:72
 for meningitis, 6:85
 for septicemia, 6:85
Nalidixic acid, 6:57
Nalline, 5:51
Nalorphine hydrochloride, 5:51
Nandrolone phenpropionate, 3:41
 for osteoporosis, 5:73
Naqua, 2:57
Narcotic antagonists, 5:51
Narcotics, 1:4
 alphaprodine (Nisentil), 3:98
 and anesthesia, 4:50
 anileridine (Leritine), 1:22
 codeine group of drugs, 6:42
 for cough, 2:101; 4:77
 in diagnostic procedures, 6:87
 diphenoxylate (Lomotil), 3:61
 dosage and cost, 4:45
 and drug interaction, 6:62
 meperidine (Demerol), 4:13
 morphine, 4:13
 oxymorphone (Numorphan),
 2:85
 phenazocine (Prinadol), 2:97
 piminodine (Alvodine), 3:27
 in preanesthetic medication,
 4:50; 6:101
 in thermal burns, 6:102
Nardil, see Phenelzine
Narone, hazards of, 6:104
Nartrate, hazards of, 6:104
Naturetin, 2:57
Nectadon, 2:101
 for chronic cough, 4:77
NegGram, 6:57
Neo-Antergan, 2:59
Neo-Barine, hazards of, 6:50
Neo-Mercazole, 2:90
 and pregnancy, 5:31
Neomycin, 5:5, 17
 deafness from, 1:29, 83
 hazards in surgery, 6:67
 for infectious gastroenteritis,
 5:57
 topical, 3:81; 6:3
 and traveler's diarrhea, 2:38
Neo-Polycin Otic Ointment, 3:81
Neosporin Ointment, 3:81; 6:3
Neostene, 3:41
Neo-Synephrine, 2:22, 50; 6:91
Neptazine, 1:62
Nesacaine, 3:62
Neutrapen, 1:13; 6:77
Newborn, drug hazards in, 1:58
Nialamide, 3:9; 4:2
 compared with tranlyc-
 promine (Parnate), 4:26
 hazards in surgery, 6:67
 in hypertension, 4:2
Niamid, see Nialamide
Nicalax, 2:91; 5:81
Nicotinic acid, 2:91; 5:81
Nicotinyl alcohol, 6:21
Nikethamide, 4:78
Nikoban, 5:37
Nilevar, 3:41
 for osteoporosis, 5:73
Niobium 95, 4:100
Nisentil, 3:98
 dosage and cost of, 4:45
Nitrates for angina, 2:17
Nitrazine Paper, 2:93; 5:53
Nitrofurantoin, 1:37; 2:62; 5:17, 30
Nitrofurazone, 3:81
 for vaginitis, 6:34
Nitrogen mustard, 2:25; 3:77
 for mammary cancer, 3:77;
 5:77

Nitroglycerin, 2:17
 Nitroglyn, 2:17
 Noctec, 2:104
 Nolutar, 2:35
 Norepinephrine, 2:22, 29; 5:3; 6:91
 Norethandrolone, 3:41
 for osteoporosis, 5:73
 Norethindrone, 2:7, 45; 4:54
 Norethynodrel, 2:7, 45; 4:54
 Norlutin, 2:7, 45
 Noscapine, 2:101
 for chronic cough, 4:77
 Novaldin, hazards of, 6:104
 Novalgin, hazards of, 6:104
 Novamidol, hazards of, 6:104
 Novemina, hazards of, 6:104
 Novobiocin, 4:57; 5:17
 for staphylococcal infections, 6:13
 Novocain, 3:62
 Novrad, 4:77
 Numorphan, 2:85
 dosage and cost of, 4:45
 Nupercaine, 3:62
 Nutrament, 3:84
 Nutril for psoriasis, 6:54
 Nyldrin
 for cerebrovascular disorders, 6:27
 for peripheral vascular disorders, 6:21
 Nystatin, 1:15; 3:33
 for vaginitis, 6:34

Obesity
 "Calories Don't Count," 4:24
 control of, 4:24
 drugs for, 2:11; 5:25
 Metreol for, 2:51
 and mortality rates, 1:90
 Nutrament for, 3:84
 phenmetrazine (Preludin) for, 2:31

Obstetrical analgesia, 6:101
 Oleandomycins, 1:5; 4:5; 25
 for chronic bronchitis, 5:85
 Ophthalmic steroids, 1:27
 and glaucoma, 5:47
 Opiates for cough, 2:101; 4:77
 Opium, tincture of, for diarrhea, 2:38; 5:61
 Opium alkaloids
 for cough, 4:77
 dosage and cost of, 4:45
 Orablix, hazards of, 5:47; 6:16, 55
 Oragrafin, 5:67
 Orenzyme, 3:11
 Organs, transplantation of, 6:36
 Orimune, 5:72
 Orinase, see Tolbutamide
 Ortho-Novum, 4:54; 5:34
 Ostamer, 2:36
 Ostensin, 2:13; 4:10
 Osteoporosis, treatment of, 5:73
 Otrivin, 2:96
 Ouabain, 4:75
 Oxacillin, 4:29; 5:17; 6:81
 dosage for staphylococcal enterocolitis, 6:72
 for meningitis, 6:85
 for septicemia, 6:85
 for staphylococcal infections, 6:13
 Oxaine, 2:103
 Oxethazaine, 2:103
 Oxolax, hazards in pregnancy, 4:106
 Oxorelen, 1:49
 Oxycel, 3:26
 Oxycodone, 6:42
 Oxygen
 use in coronary disease, 4:58
 use in pulmonary insufficiency, 4:58
 Oxygen equipment, portable, 4:62
 Lif-O-Gen, 4:62
 Oxy-Hale, 4:62
 Oxymetholone, 3:41
 in anemia, 6:65
 for osteoporosis, 5:73

Oxymorphone, 2:85
 dosage and cost of, 4:45
 Oxyphenbutazone, 3:37, 44
 and drug interaction, 6:62
 hazards of, 3:44; 6:100
 Oxyquinoline compounds, 3:65, 81; 6:3
 Oxytetracycline, 1:89; 3:87; 5:17
 Oxytocic agents
 oxytocin (Pitocin), 3:32
 Syntocinon, 3:32
 Oxytocin, 3:32
 for puerperal breast engorgement, 4:41
 Oxytocin injection, 5:59

P-A-D, 4:89
 PAS, 4:83
 PBI test, 1:11; 6:67
 PBI test kit, 4:8
 PETN, 2:17
 Pabalate, 2:43
 Pacatal, 6:99
 Pain control in diagnostic procedures, 6:87
 Panalba, 4:57
 Pancreatic enzymes, see Enzymes, pancreatic
 Pancreatrin, 3:15
 Panmycin, 1:2; 6:18
 Panteric, 3:15
 Pantopon, dosage and cost of, 4:45
 d-Pantothenyl alcohol, 3:31
 Panwarfin, 5:63
 Papase, 5:65
 Parabromdylamine, 1:14, 83; 2:59
 Paracodin, 6:42
 Paraflex, 3:94
 Paralgin, hazards of, 6:104
 Paramethasone acetate, 3:58
 Parasitic infections, drugs for, 5:89; 6:16

NOTE: Issue No. 126 (pp. 89-92) is devoted entirely to drugs for parasitic infections. Drugs of first choice, alternative drugs and dosages for use against the various parasitic organisms are given; the drugs are not indexed separately. Revised recommendations (6:16) for the treatment of P. falciparum coma, African trypanosomiasis, and onchocerca are included in Issue 126 (revised January, 1964).

Parathion, 4:86
 Parenzyme, 3:11
 Pargyline, 5:41
 Parkinsonism drugs, 1:59
 Parlate, 4:26
 hazards of, 5:88; 6:45
 Paromomycin (Humatin), 2:53
 correction, 2:84
 Peganone, 1:99
 as cause of lymphoma syndrome, 4:56
 Penbritin, see Ampicillin
 D-Penicillamine for Wilson's disease, 5:64
 Penicillinase, 1:13; 2:75
 Penicillin G
 compared with oxacillin, 4:29
 tests of, 3:29
 Penicillins, 1:87; 2:27, 73, 75; 3:2, 13, 29, 31, 45; 4:25, 29, 57; 5:17; 6:81
 allergy, 1:87; 6:77
 penicillinase for, 1:13
 ampicillin, 5:9; 6:25
 for chronic bronchitis, 5:85
 compared with novobiocin, 4:57
 costs, 1:34
 G & V, 1:50
 for meningitis, 6:85, 94
 methicillin (Staphicillin), 2:75; 6:13, 81
 nafcillin (Unipen), 6:29
 phenethicillin, 1:97; 2:73
 for septicemia, 6:85
 for staphylococcal infections, 6:13
 Penicillin-streptomycin combinations, 3:13

Penicillin-sulfonamide combinations, 3:45
 Penthrane, 4:67
 Pentobarbital
 as antiemetic, 3:50
 for preanesthetic medication, 4:50
 Pentolinium, 2:70; 4:10
 for hypertensive crises, 6:97
 Pen Vee, 1:34, 50; 2:73
 Perazil, 2:59
 Percodan, 6:42
 Perfron Pads, 6:60
 Peripheral vascular disorders, drugs for, 6:21
 Peritrate, 2:17
 Permitil, 2:77; 3:50; 6:99
 Perphenazine, 3:50; 6:45, 99
 for morning sickness, 4:69
 Pesticides, hazards of, 4:86
 Phemerol, 4:9
 Phenacetin, 3:21; 5:7; 6:79
 combined with amphetamines, 4:89
 Phenazocine, 2:97
 dosage and cost of, 4:45
 Phenazopyridine, 3:55
 Phendimetrazine, 5:25
 Phenelzine, 3:9; 4:2; 6:45
 compared with tranlycypromine (Parlate), 4:26
 hazards in surgery, 6:67
 Phenergan, 2:59; 3:49, 50
 for morning sickness, 4:69
 in preanesthetic medication, 6:101
 Phenethicillin, 1:97; 2:73; 3:31; 6:81
 for staphylococcal infections, 6:13
 Phenformin, 1:69; 3:69; 4:40; 6:31
 timed disintegration, 4:40
 Phenidone, 1:85
 hazards of, 4:74; 5:63
 Phenistix, 3:71
 Phenmetrazine, 2:31
 Phenobarbital, 1:99; 3:18; 4:17; 6:45, 99
 compared with hydroxyphenamate, 4:45
 Phenothiazines, 6:99
 and anesthesia, 1:50
 as antiemetics, 3:50
 combined with amphetamines, 4:89
 in diagnostic procedures, 6:87
 hazards in surgery, 6:67
 and morning sickness, 4:69
 for motion sickness, 3:49
 for preanesthetic medication, 4:50; 6:101
 use in emotional disorders, 6:45
 Phenoxylbenzamine, 6:21
 Phenprocoumon, 1:85; 5:63
 Phensuximide, 1:99
 as cause of lymphoma syndrome, 4:56
 Phenolamine for hypertensive crises, 6:97
 Phenylazo-diaminopyridine, see Phenazopyridine
 Phenylbutazone, 1:30; 3:37
 and drug interaction, 6:62
 hazards of, 3:37, 44; 6:100
 Phenylephrine, 2:22, 50
 in cough remedies, 4:14
 for shock, 6:91
 Phenylketonuria, 3:71
 Phenylamidol, 3:89, 94
 pHisoderm, 2:83
 pHisolHex, 2:83
 as surgical antiseptic, 4:9; 6:89
 Phospholine, 6:10
 Photosensitivity, 3:56
 Phthalylsulfathiazole for traveler's diarrhea, 4:43
 Physostigmine, 6:10
 Phytanadione, 3:67; 5:97
 Picrotoxin, 4:78
 Pilocarpine, 6:10
 Pilovisc, 6:10

Piminodine, 3:27
 dosage and cost of, 4:45
 Pinworms, 2:4, 20
 Pipamazine for morning sickness, 4:69
 Piperazine, 2:4, 20
 Piperocaine, 3:62
 Piridol, hazards of, 6:104
 Pitocin, 3:32; 5:59
 Pituitary insufficiency, mepyrone (Metopirone) test for, 4:92
 Placidyl, 2:67
 Plaquenil, see Hydroxychloroquine
 Plasmin, 1:93; 3:23
 Plegine, 5:25
 Plexonal, 4:17
 Podophyllum
 hazard in pregnancy, 4:106
 as a laxative, 4:106
 Poison ivy, 1:42; 5:42
 Polaramine, 1:83; 2:59
 Poldine, 4:30
 Polinalin, hazards of, 6:104
 Poliomyelitis vaccines, 1:96; 2:71, 72; 3:16, 72; 4:81; 5:72
 Polycillin, see Ampicillin
 Polykol, 2:61
 Polymyxin B, 3:57; 5:17
 compared with colistimethate, 5:15
 for infectious gastroenteritis, 5:57
 for septicemia, 6:85
 topical, 3:81; 6:3
 Polythiazide, 4:12
 Pontocaine, 3:62
 Potassium gluconate, 6:7
 Potassium perchlorate for hyperthyroidism, 2:90
 Potassium Triplex, 1:33; 6:7
 Povan, 2:4
 Preanesthetic medication, 4:50; 6:101
 Prednisolone, topical, 1:94; 2:12; 4:21, 27
 Prednisone
 tests of, 2:65
 use in cancer, 4:82
 Pregnancy
 Doriden and thalidomide, 4:61, 88
 and drugs, 4:47, 61, 88, 106
 and thalidomide, 4:47
 Pregnancy tests
 dydrogesterone (Duphaston), 4:73
 Pro-Duosterone, 3:51
 Preludin, 2:31
 Premarin, 2:28, 41; 3:23, 43
 for bleeding, 2:28
 for coronary disease, 3:23; 5:1
 for menopausal symptoms, 2:41
 Premenstrual tension, 4:99
 Pressonex for shock, 6:91
 Primacaine, 3:62
 Prinadol, 2:97
 dosage and cost of, 4:45
 Priscoline, 6:21
 Probenecid, 3:11, 86
 Procaine, 3:62
 Prochlorperazine, 1:57; 6:45, 99
 for morning sickness, 4:69
 Pro-Duosterone, 3:51
 Proketazine, 5:66
 Prolaire, 4:89
 Prolixin, 2:77; 3:50; 6:99
 Prolid, 5:69
 Prolonged-action drugs, 1:45; 3:38, 53; 4:40; 6:49
 Promazine, 6:99
 for morning sickness, 4:69
 in preanesthetic medication, 6:101
 Promethazine, 2:59
 as antiemetic, 3:50
 for morning sickness, 4:69
 for motion sickness, 3:49
 in preanesthetic medication, 6:101
 Pronicotyl, 5:37

Propion Gel, 6:34
 Propoxycaïne, 3:62
 Propoxyphene, 1:40; 6:41
 Propylthiouracil, 2:90
 and pregnancy, 5:31
 Prostall, 6:40
 Prostaphlin, see Oxacillin
 Protamide, 2:80
 Proteolytic enzymes, see
 Enzymes, proteolytic
 Prothipendyl, 3:35
 Protoveratrine for hypertensive
 crises, 6:97
 Provera, 2:46
 Psoriasis
 Alphasyl for, 1:51
 treatment of, 6:54
 Psychotherapy for ulcerative
 colitis, 4:27
 Pulmonary insufficiency, treatment
 of, 6:1
 Purinethol, 5:21
 Puritron, 4:50
 Purivax, 2:72; 3:16
 Purodigin, 4:75
 Pyridone, hazards of, 6:104
 Pyelography, intravenous, 6:55
 Pyradone, hazards of, 6:104
 Pyralgin, hazards of, 6:104
 Pyramidon, hazards of, 3:44;
 6:104
 Pyrazinamide, 4:83; 5:17
 Pyribenzamine, 2:59
 Pyridium, 3:55; 6:7
 Pyridoxine, 4:69
 Pyrilamine, 2:59
 Pyronil, 2:59
 N-(Pyrolidinomethyl)
 tetracycline, 3:87
 Pyvinium pamoate, 2:4

Quadrigen, 1:96
 Quanti-Vite (F), 3:100
 Quaternary ammonium com-
 pounds, 3:60; 4:10
 as surgical antiseptics, 4:9
 Quinacrine, 4:103
 Quinaglate, 3:53
 Quinethazone, 5:14
 Quinidine, 3:53
 for cardiac arrhythmias, 6:83
 Quintess, 5:61

Radiation fallout and counter-
 measures, 4:100
 Rau-Tab, 1:70
 Rautensin, 1:70
 Rauwiloid, 1:70
 Rauwolfia alkaloids, 1:70; 2:70;
 5:39
 syrosingopine (Singoserp),
 1:25, 40, 44, 70
 Ravocaine, 3:62
 Ray-Mer-Lax Tablets, hazards in
 pregnancy, 4:106
 Raynaud's syndrome and vasodi-
 lating drugs, 6:21
 Regitine for hypertensive crises,
 6:97
 Relat, 3:89, 94
 Renelate, 5:53
 Renese, 4:12
 Renografin, 6:55
 Renovist, 6:55
 Repository antigens for hay fever,
 4:72
 Rescinnamine, 1:70
 Risperpine, 1:70; 2:70; 5:39
 combined with chlorothiazide
 and hydralazine, 4:95
 for hypertensive crises, 6:97
 Resistopen, 6:81
 Respirator Decadron, 5:99
 Resprogen, 2:89
 Resuscitation, 4:58
 Reticulose, 3:7
 Retinopathy
 caused by Aralen and
 Plaquenil, 4:103

caused by Mellaril, 4:65
 R-gene, 4:33
 Rheumatism and arthritis, see
 Arthritis
 Rhulihist, 5:42
 Ristocetin, 1:41; 5:17
 dosage for staphylococcal
 enterocolitis, 6:72
 Ritalin, 5:75; 6:45
 Robanul, 4:30
 Robaxin, 3:94
 Ro-Cillin, 2:73
 Romilar, 1:23; 2:101
 for chronic cough, 4:77
 Roncovite, 1:55; 6:49
 Roniacol, 6:21
 Rubeovax, 5:35
 Rynatuss, 2:101
 for chronic cough, 4:77

S-26 milk preparation, 5:8
 S. A. Vite, 3:38
 SMA, 4:7
 Saccharin, 5:96; 6:73, 84
 Safflower oil, 4:24; 6:9
 Salicylamide, 6:14
 combined with amphetamines,
 4:89
 Salicylates for arthritis, 1:30;
 2:23, 43
 Salmonella infections, drugs for,
 5:57
 chloramphenicol (Chloromy-
 cetin) for, 1:21; 3:1
 furazolidone (Furoxone) for,
 1:38; 2:62
 paromomycin (Humatin) for,
 2:53
 Saluron, 2:6
 Salyrgan-Theophylline, 3:17
 Sandril, 5:39
 Sansert, 4:70
 Schizophrenia, drugs for, 6:45, 99
 Scopalamine, 1:59; 3:49; 4:17
 Secobarbital, 2:35; 4:17
 for preanesthetic medication,
 4:50
 tests of, 3:5
 Seconal, 2:35; 3:5
 Sedative-tranquilizers
 in emotional disorders, 6:45,
 99
 as preanesthetic medication,
 4:50
 for premenstrual tension, 4:99
 Semopen, 2:73
 Senokot, 1:26
 Sensitivity tests in choice of anti-
 microbial agents, 4:97
 Serpasil, 5:39
 Sexual desire and performance,
 drugs influencing, 4:45
 Shigella infections, drugs for,
 5:57
 furazolidone (Furoxone) for,
 1:38; 2:62
 Shock
 angiotensin amide (Hyperten-
 sin) for, 5:3
 metaraminol (Aramine) for,
 2:29
 norepinephrine (Levophed)
 for, 2:29
 treatment of, 6:91
 vasopressor drugs for, 2:22, 50
 Signemycin, 4:25; 6:53
 "Silent Spring," review of, 4:86
 Similac, 4:7
 Similac PM 60/40, 5:24
 Sinaxar, 3:94
 Singoserp, 1:25, 40, 44, 70
 Sitosterols for hypercholester-
 olemia, 5:81
 Skelaxin, 6:6
 Skin tests, tuberculin, 4:67
 Sleep-Eze, 1:48
 Smoking
 drugs to curb, 5:37
 and lung cancer, 2:1
 Sodium bicarbonate as antacid,
 2:94

Soma, 3:89, 94; 5:79
 Somnos, 2:104
 Sonilyn, 5:26
 Sopronol, 3:65
 Sorboquel, 3:66; 5:61
 Sparine, 6:99
 for morning sickness, 4:69
 in preanesthetic medication,
 6:101
 Spartase, 4:1
 Spartheine sulfate, 5:59
 Spironolactone, 2:49; 3:17; 4:104
 Spontin, 1:41
 dosage for staphylococcal
 enterocolitis, 6:72
 Stanozolol for osteoporosis, 5:73
 Staphicillin, see Methicillin
 Staphylococcal enterocolitis
 antibiotic dosage for, 6:72
 drugs for, 6:61
 Staphylococcal infections
 bacitracin for, 3:70
 chloramphenicol for, 1:21
 and Dial soap, 3:79
 and furaltadone (Altafur),
 1:75; 2:62
 Ilosone for, 1:18
 methicillin for, 2:75
 and novobiocin, 4:57
 oxacillin for, 4:29
 and Panalba, 4:57
 ristocetin (Spontin) for, 1:41
 treatment of, 6:13, 53
 and triacetyloleandomycin, 1:5
 vancomycin (Vancocin) for,
 1:41
 Steam inhalation for cough, 4:77
 Stelazine, see Trifluoperazine
 Stenediol, 3:41
 Sterazolidin, 1:30
 Steri-Drape, 6:15
 Steri-Strip, 6:15
 Sterneedle, 4:67
 Steroid aerosols for bronchial
 asthma, 5:99
 Steroids, adrenal, 1:1, 20, 27, 80;
 2:55; 3:58; 4:20, 21, 27
 betamethasone (Celestone),
 3:58
 for cancer, 4:82
 children, hazards in, 2:99
 dexamethasone, 1:1, 20, 80
 and drug reactions, 6:77
 fluprednisolone (Alphadrol),
 4:20
 hazards in children, 2:99
 hazards in surgery, 6:67
 for leukemia, 4:82; 5:21
 for malignant lymphomas,
 2:25
 for mammary cancer, 4:82;
 5:77
 and meningitis, 6:94
 ophthalmic, 1:27; 5:47
 paramethasone acetate
 (Haldron), 3:58
 prednisone, tests of, 2:65
 for thermal burns, 6:102
 topical, 1:27, 94; 2:86; 4:21,
 27; 6:3, 7, 27
 correction, 2:12
 fluocinolone acetonide
 (Synalar), 4:21
 flurandrenolone acetonide
 (Cordran), 4:21
 for ulcerative colitis, 4:27
 Steroids, anabolic, 3:41
 for osteoporosis, 5:73
 Sterosan, 3:65, 81; 6:3
 Stilbestrol, see Diethylstilbestrol
 Stilbetin, 2:41
 Stoxil, 5:103
 Strascogesc, 4:89
 Streptococcal infections, cost
 of drugs for, 1:34
 Streptokinase, 1:93; 3:23
 Streptokinase-streptodornase,
 3:11
 Streptomycin, 1:29, 83; 5:5, 17
 combinations with penicillin,
 3:13
 hazards in surgery, 6:67
 for meningitis, 5:101; 6:94

for tuberculosis, 4:83
 Strontium 90, 4:100
 Styramate, 3:94
 Subcutaneous vs. intradermal
 administration of influenza
 vaccines, 4:96
 Sucaryl, 5:96
 Sulfachloropyridazine, 5:26
 Sulfadiazine, 3:45
 for meningitis, 6:94
 Sulfadimethoxine, 1:73
 Sulfadimethine, 1:73
 Sulfamethizole, 5:43
 Sulfamethoxazole, 4:53
 Sulfamethoxypyridazine, 1:73
 Sulfipyrazone, 3:11, 86
 Sulfisoxazole, 1:58
 compared with sulfamethoxa-
 zole, 4:53
 for H. influenzae meningitis,
 5:101
 Sulfonamides, 3:45; 4:32; 5:17
 for chronic bronchitis, 5:85
 in cold remedies, 1:23
 for diarrhea, 5:57
 and drug interaction, 6:62
 hazards in newborn, 1:58
 long-acting, 1:73
 for meningitis, 5:101; 6:94
 mixtures and combinations,
 3:45
 and photosensitivity, 3:56
 and streptococcal infections,
 1:34
 topical ophthalmic combina-
 tions, 1:27
 Sulpyrin, hazards of, 6:104
 Sumycin, 1:2; 6:18
 Sun-tan preparations
 Man-Tan, 2:47
 Surgery
 drug hazards in, 6:67
 iodophor antiseptics in, 6:89
 preanesthetic medication,
 6:101
 preparation of the skin for,
 6:89
 vitamin C prophylaxis in, 4:42
 Surgical masks, 4:91
 Surgical scrub, 4:9; 6:89
 Surgicel, 3:26
 Sustagen, 1:47, 52
 correction, 1:52
 Sustained-release drugs, 1:45;
 3:38, 53; 4:40; 6:49
 Sweeteners, artificial, 5:96; 6:73,
 84
 Sympatholytic drugs, 4:18; 6:97
 Sympathomimetic drugs and drug
 interaction, 6:62
 Synalar, 4:21; 6:27
 Synalar Ointment, 6:7
 Synalogs, 4:89
 Syncillin, 1:97; 2:73; 3:31
 Synkamin, 3:67; 5:97
 Synkayvite, 3:67; 5:97
 Syntetrix, 2:14; 3:87
 Synthroid, 5:69
 Syntocinon, 3:32; 4:41; 5:59
 Syrosingopine, 1:25, 40, 44, 70
 Syrups for cough, 4:77

TACE, 4:41
 TAO, 1:5; 4:5, 25; 6:5
 TBI, 6:67
 TEM, 2:25; 3:77; 5:21
 Tain, 4:5
 Talbutal, 4:17
 Tandearil, see Oxyphenbutazone
 Taomid, 4:25
 Tapazole, 2:90
 and pregnancy, 5:31
 Taractan, 4:85
 Teenamins, 2:98
 Telepaque, 5:67
 Tamaril, 1:19
 Tempra, 5:7; 6:48, 79
 Tension, premenstrual, 4:99
 Tenuate, 5:25
 Tepanil, 5:25
 Teratogenic drugs, 4:47, 61, 69, 88

- Terramycin, 1:89; 3:87; 5:17
 Terramycin IM, 2:14
 Tessalon, 2:101
 for chronic cough, 4:77
 Tes-Tape, 1:72
 Testosterone, 3:41
 for mammary cancer, 5:77
 for osteoporosis, 5:73
 Testosterone enanthate for puer-
 peral breast engorgement,
 4:41
 Tetracaine, 3:62
 Tetrachlorethylene, 2:4
 Tetracycline hydrochloride, 6:18
 reliability under generic name,
 6:51
 in Signemycin, 6:53
 Tetracycline-nystatin, 1:15
 Tetracyclines, 3:87; 5:17; 6:18, 85
 buffered, 1:2
 for chronic bronchitis, 3:2
 combinations with antifungal
 agents, 1:15; 3:33
 combined with novobiocin,
 4:57
 compared with tri-
 acetyloleandomycin, 4:25
 cost of, 6:51
 for infectious gastroenteritis,
 5:57
 and interference with protein
 synthesis, 5:47
 for meningitis, 6:85, 94
 parenteral, 2:14
 photosensitivity reactions to,
 3:56
 for Salmonella, 5:57
 for staphylococcal infections,
 6:13
 and tooth damage, 5:47
 for urinary infections, 6:57
 Tetracylin, 3:87
 Tetracylin V, 1:2
 Triacetyloleandomycin, 4:10
 Tetravax, 1:96
 Tetrex, 1:2; 6:18, 51
 Tetrex c T/S, 3:45
 Thalidomide, 4:47, 69
 structure compared with glute-
 thimide (Doriden), 4:61, 88
 Thelylene, 2:59
 Thephorin, 1:59; 2:59
 Theruistin, 2:59
 Thiazide diuretics, see Diuretics,
 oral
 Thiethylperazine maleate, 3:104
 for morning sickness, 4:69
 Thiomerin, 3:17
 Thiopropazate, 6:45
 Thioridazine, 4:65
 for schizophrenia, 4:65; 5:66;
 6:45, 99
 Thiosulfil, 5:43
 Thio-TEPA, 2:25; 3:77, 102
 for mammary cancer, 5:77
 Thiourea compounds and congeni-
 tal defects, 4:69
 Thiphenamil, 5:86
 Thist, 3:48
 Thorazine, see Chlorpromazine
 Threaze, 4:89
 Thromboembolic disorders, 4:74
 fibrinolysin for, 1:93
 and oral contraceptives, 4:54,
 5:34; 6:59
 Thrombolytic for, 3:23
 Thrombocytosis, 6:48
 Thrombolysin, 3:23
 Thyroid function, tests for, 1:11;
 6:67
 Thyroid preparations, 1:9, 10; 5:69
 Thyro P. B. I. Kit, 4:8
 Thyroxine, 1:9; 5:69
 tests for, 6:67
 Tigan, 3:8, 50
 Timovan, 3:35
 Tindal, 4:4
 Titalac Liquid, 2:94
 Toclate, 2:101
 for chronic cough, 4:77
 Tocosamine, 5:59
 Tofranil, see Imipramine
 Tolazoline, 6:21
 Tolbutamide, 1:17; 3:56, 69
 and drug interaction, 6:62
 and pregnancy, 5:39
 Topical steroids, 1:27, 94; 2:12,
 86; 4:21; 6:3, 7, 27
 and occlusive dressings, 6:27
 ophthalmic steroids and glau-
 coma, 5:47
 for ulcerative colitis, 4:27
 Torecan, 3:104
 for morning sickness, 4:69
 Torsyn Syrup, 2:101; 5:11
 for chronic cough, 4:77
 Trancopal, 3:94
 Tranquilizers
 in emotional disorders, 6:45
 as preanesthetic medication,
 4:50
 Transplantation of organs, 6:36
 Tranylcypromine, 4:26
 hazards of, 5:88
 Trasentine, 5:86
 Travelers, immunization of, 4:43
 Traveler's diarrhea, see Diarrhea,
 traveler's
 Trepitone, 5:29
 Tresitope, 6:67
 Triacetyloleandomycin, 1:5; 4:5,
 25; 6:5
 in Signemycin, 6:53
 Triamcinolone acetonide, 1:94;
 2:12; 6:7, 27
 compared with fluocinolone
 acetonide, 4:21
 Triburon, 3:81
 Trichlormethiazide, 2:57
 Trichlorocarbonyl, 2:83; 3:79;
 4:9
 Trichotone, 2:33
 Triclobisone, 3:81
 Tricofuron, 2:33
 Tricremalate, 2:94
 Tridione, 1:99
 as cause of lymphoma
 syndrome, 4:56
 Triethanolamine, 2:17
 Triethylenemelamine, 2:25; 3:77;
 5:21
 Triethylenethiophosphoramide,
 2:25; 3:77, 102
 for mammary cancer, 5:77
 Trifluoperazine, 4:38; 6:45, 99
 compared with chlorprothixene,
 4:85
 Trifluoromazine, 3:50; 6:45
 Triglycerides, 5:81
 and diet, 6:9
 Triiodothyronine, 1:9; 5:69
 Trilafon, 3:8, 50; 6:99
 for morning sickness, 4:69
 Trimetoprim, 1:19
 Trimethadione, 1:99
 as cause of lymphoma syn-
 drome, 4:56
 Trimethaphan, 4:10
 for hypertensive crises, 6:97
 Trimethidinium, 2:13; 4:10
 Trimethobenzamide, 3:8, 50
 for morning sickness, 4:69
 Trigonine, 1:9
 Triosorb, 6:67
 Triparanol, 2:81; 4:5, 47
 Triquin, 4:103
 Tri-Span, 3:38
 Tritheon, 2:33
 Triurate, 3:11
 Triva, 2:33
 Trocinate, 5:86
 Tuberculin Tine Test, 4:67
 Tuberculosis, 2:99; 4:83
 Tuinal, 4:17
 Tussionex, 2:101
 Tuss-Ornade, 5:11
 Tylenol, 4:14; 5:7; 6:79
 Typhoid fever, drugs for, 3:1; 6:85
 Tyroderm, 3:81; 6:3
 Tyrothricin, 3:81; 6:3
U
 Ulcerative colitis, see
 Colitis, ulcerative
 Ulcers
 antacids for, 2:94
 glycopyrrolate (Robanul) for,
 4:30
 poldine methylsulfate
 (Nacton) for, 4:30
 Ulo Syrup, 2:101
 for chronic cough, 4:77
 Ultandren for mammary cancer,
 5:77
 Unacaine, 3:62
 Unipen, see Nafcil
 Unintense for hypertensive crises,
 6:97
 Urecholine, 4:94
 Urethral catheters, 4:94
 Urinalysis
 Acetest, 2:72
 Albustix, 2:79
 Clinistix, 1:72
 Combistix, 2:79
 Dextrostix, 6:93
 Hemastix, 5:24
 Ketostix, 2:72
 Phenistix, 3:71
 Tes-Tape, 1:72
 Uristix, 2:79
 Urinary LDH as cancer test, 5:76
 Urinary tract infections, 1:73;
 2:93; 4:94
 ampicillin for, 6:25
 and catheterization, 4:94
 chloramphenicol (Chloromy-
 cetin) for, 5:50
 criteria of infection, 5:82
 Mesulfon for, 5:43
 methenamine mandelate for,
 2:93; 5:53
 nalidixic acid (NegGram) for,
 6:57
 nitrofurantoin (Furadantin)
 for, 1:37; 2:62; 5:30
 phenazopyridine (Pyridium)
 for, 3:55
 sulfachloropyridazine
 (Sonilyn) for, 5:26
 sulfamethizole (Thiosulfil),
 for, 5:43
 sulfamethoxazole (Gantanol)
 for, 4:53
 sulfonamide mixtures for, 3:45
 tests for, 6:33
 treatment, 6:57
 and urethral catheters, 4:94
 Uristix, 2:79
 Urokon, 6:55
 Uroscreen, 6:33
V
 Vaccines
 adenovirus, 1:88; 2:89
 cold, 1:88
 influenza, 1:88; 2:89; 3:80;
 4:79, 96; 6:75
 measles, 5:35
 poliomyelitis, 1:96; 2:71, 72;
 3:16, 72; 4:81; 5:72
 Vaginitis, treatment of, 6:34
 Vaginitis, trichomonal, 2:33
 Vagisec, 2:33
 Valium, 6:17, 45, 99
 Vallesril, 4:41
 Valmid, 2:67
 Valpin, 5:86
 Vancomycin (Vancocin), 1:41;
 3:1, 70; 5:17
 dosage for staphylococcal
 enterocolitis, 6:72
 Vanillic acid diethylamide, 4:78
 Varamel, 4:7
 Varidase, 3:11
 Vascular disorders, peripheral,
 drugs for, 6:21
 Vasoconstrictors, nasal, 2:96
 in oral cold remedies, 1:23
 Vasodilator
 for cerebrovascular disorders,
 6:27
 for peripheral vascular
 disorders, 6:21
 Vasodilator drugs, 6:21, 27
 Vasopressor drugs, 2:22, 29, 50
 angiotensin amide (Hyperten-
 sin), 5:3
 epinephrine, 2:50
 mephentermine (Wyamine),
 2:50
 methamphetamine (Meth-
 drine), 2:50
 methoxamine (Vasoxyl), 2:50
 phenylephrine (Neo-Syne-
 phrine), 2:50
 for shock, 6:91
 use with local anesthetics, 3:62
 Vasoxyl, 2:22, 50
 for shock, 6:91
 V-Cillin, 1:50; 2:73; 6:81
 Veralba for hypertensive crises,
 6:97
 Veratrum alkaloids for
 hypertensive crises, 6:97
 Versene for Wilson's disease, 5:64
 Vesprin, 3:50; 6:45
 Vinactane, 4:83
 Vinegar douches for vaginitis,
 6:34
 Viocin, 4:83
 Vioform, 2:33, 38; 3:65, 81; 6:3
 for vaginitis, 2:33; 6:34
 Viokase, 3:15
 Viomycin, 4:83; 5:17
 Virac, 6:89
 Vistaril, 2:9
 Vitamin B₆ for morning sickness,
 4:69
 Vitamin B₁₂, 1:67
 for pernicious anemia, 5:60
 Vitamin C, 2:43, 98
 for bleeding, 2:19
 prophylactic use in surgery,
 4:42
 Vitamin K drugs, 3:67
 correction, 3:84
 hazard in newborn, 1:58
 in pregnancy and labor, 5:47
 and surgery, 2:78
 uses and hazards of, 5:97
 Vitamins
 absorption of, 2:32
 Homogenets, 2:32
 multivitamin preparations,
 2:98; 3:38
 for premenstrual tension, 4:99
 sustained release, 3:38
W
 Warfarin, 1:85; 3:40; 4:74;
 5:63
 Wilson's disease, drugs for, 5:64
 Winstrol for osteoporosis, 5:73
 Worthington Dermatube LDH
 as cancer test, 5:76
 Wound infections
 antibiotic prophylaxis, 2:15
 antiseptics for, 4:9
 and surgical masks, 4:91
 Wyamine, 2:22, 50, 69
 for shock, 6:91
X
 Xanthinex, 5:45
 Xylocaine, 3:62
 Xylometazoline, 2:96
Z
 Zactane, 1:23
 Zactirin, 1:23
 Zephiran, 4:9
 Zirconium 95, 4:100
 Zoxazolamine, 1:16; 3:11, 86; 4:5

2:96
s, 1:23

disorders,

ar

27
29, 50
hyperten-

amine),

Methe-

yl), 2:50
pyne-

otics, 3:62

crises,

:97
ase, 5:64

initis,

31; 6:3
34

ckness,

, 5:60

urgery,

58
or, 5:47

5:97

ons,

on, 4:99

4:74;

or, 5:64
5:73
LDH

2:15

91

86; 4:5